

View Online at <https://aerobasegroup.com/nsn/2910-01-507-1056>

**Thread Direction:**

Right-hand

**Mounting Type:**

Unthreaded hole top side

**Mounting Hole Diameter:**

0.375 inches

**Mounting Hole Quantity:**

2

**Body Outside Diameter:**

4.000 inches

**Body Height:**

9.375 inches

**Filtration Rating In Microns:**

10.0

**Drop Pressure:**

0.61 pounds per square inch

**End Application:**

7 meter rigid hull inflatable boat.

**Design Type:**

Reusable

**Temperature Rating:**

-40.0 degrees fahrenheit and 255.0 degrees fahrenheit

**Filtering Element Quantity:**

1

**Maximum Operating Pressure:**

7.0 pounds per square inch

**First Intake Connection Type:**

Threaded internal pipe head side

**Second Intake Connection Relationship To First Intake Connection:**

Identical

**First Discharge Connection Relationship To Intake Connection:**

Identical to first intake connection

**First Intake Thread Series Designator:**

Nptf

**First Intake Thread Size:**

0.250 inches

**First Intake Thready Qty Per Inch (tpi):**

18

**Product Name:**

Gasoline/fuel filter/water seperator

**First Intake Thread Direction:**

Right-hand

**Filtering System For Which Designed:**

Full flow

**Special Features:**

Versatile three-port aluminum head anodized and powder painted. Directs incoming fuel flow to the spin-on replaceable element. Inlet both sides out in front. 10 micron media. Spin-off bowl/element. See-thru bowl assembly at bottom. Self-venting drain valve. Replacement filter p/n s3227, nsn 2910-01-507-1442.

**Media For Which Designed:**

Fuel/oil, hydrocarbon

**Style Designator:**

Threaded shell (mason jar)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A24000