

View Online at <https://aerobasegroup.com/nsn/2910-01-507-1056>

Thread Direction:

Right-hand

Mounting Type:

Unthreaded hole top side

Mounting Hole Diameter:

0.375 inches

Mounting Hole Quantity:

2

Body Outside Diameter:

4.000 inches

Body Height:

9.375 inches

Filtration Rating In Microns:

10.0

Drop Pressure:

0.61 pounds per square inch

End Application:

7 meter rigid hull inflatable boat.

Design Type:

Reusable

Temperature Rating:

-40.0 degrees fahrenheit and 255.0 degrees fahrenheit

Filtering Element Quantity:

1

Maximum Operating Pressure:

7.0 pounds per square inch

First Intake Connection Type:

Threaded internal pipe head side

Second Intake Connection Relationship To First Intake Connection:

Identical

First Discharge Connection Relationship To Intake Connection:

Identical to first intake connection

First Intake Thread Series Designator:

Nptf

First Intake Thread Size:

0.250 inches

First Intake Thread Qty Per Inch (tpi):

18

Product Name:

Gasoline/fuel filter/water separator

First Intake Thread Direction:

Right-hand

Filtering System For Which Designed:

Full flow

Special Features:

Versatile three-port aluminum head anodized and powder painted. Directs incoming fuel flow to the spin-on replaceable element. Inlet both sides out in front. 10 micron media. Spin-off bowl/element. See-thru bowl assembly at bottom. Self-venting drain valve. Replacement filter p/n s3227, nsn 2910-01-507-1442.

Media For Which Designed:

Fuel/oil, hydrocarbon

Style Designator:

Threaded shell (mason jar)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A24000