NSN 2915-00-166-4949

Centrifugal Pump Impeller - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2915-00-166-4949

view Offilitie at https://aerobasegroup.com/hsh/2913		
Overall Width:		
Between 0.598 inches and 0.600 inches		
Keyway Width:		
Between 0.063 inches and 0.065 inches		
Keyway Depth:		
Between 0.038 inches and 0.043 inches		
Overall Diameter:		
Between 1.463 inches and 1.497 inches		
Keyway Quantity:		
1		
Keyway Length:		
Between 0.098 inches and 0.101 inches		
Blade Quantity:		
16		
Hub Length:		
Between 0.598 inches and 0.600 inches		
Blade Type:		
Backward curve		
Design Type:		
Single width		
Mounting Method:		
Key		
Rotation Direction For Which Designed:		
Clockwise		
Hub Bore Diameter:		
Between 0.3445 inches and 0.3452 inches		
Hub Location:		
Centrally		
Hub Quantity:		
1		
Hub Projection Length Beyond Wheel Side:		
Between 0.0015 inches and 0.0025 inches		
Keyway Type:		
Square		
Material:		
Aluminum alloy, qq-a-327		
Material:		

Anodize

Surface Treatment Specification:

Aluminum alloy, qq-a-327 **Surface Treatment:**

Mil-a-8625 military specification single treatment response

NSN 2915-00-166-4949

Centrifugal Pump Impeller - Page 2 of 2



Surface	Treatm	ent:
---------	--------	------

Anodized, mil-a-8625

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T114-c

Mil-std (military Standard):

Mil-a-8625 spec.