

View Online at <https://aerobasegroup.com/nsn/2915-00-684-2357>

Overall Length:

3.000 inches

Power Cable Length:

72.000 inches

Dc Voltage Rating:

28.0 volts

Overall Diameter:

1.380 inches

Actuation Method:

Buoyancy

Electrical Connection Type:

Cable

Internal Battery Accommodation:

Not included

Float Quantity:

1

Operating Temperature Rating:

Between -65.0 degrees fahrenheit and 260.0 degrees fahrenheit

Mounting Method:

Thread

Mounting Position:

Vertical

Contact Arrangement:

Spst, normally closed

Relay:

Not included

Liquid Type For Which Designed:

Aircraft fuel

Aircraft Fuel For Which Designed:

Specific

Aircraft Fuel Grade Specificationification:

Mil-g-5572 and mil-t-5624

Aircraft Fuel Grade:

80/87, 100/130, 115/145, jp-4, and jp-5

Aircraft Fuel Grade Specificationific Gravity Rating:

0.845 at 15.6/15.6 degrees c, max sp gr

Float Effective Travel:

Between 0.590 inches and 1.090 inches

Mounting Dimensions:

Mtg by 9/16-18 unf-3a thd connection

Tank Insertion Length:

2.360 inches

Special Features:

Float down

Specification Or Standard:

Fzc4-319type 1

Fsc Application Data:

Aircraft engine fuel systems

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T109-d

Mil-std (military Standard):

Mil-g-5572 spec.