NSN 2915-00-868-2766

Liquid Level Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2915-00-868-2766

Overall Length:
15.450 inches
Dc Voltage Rating:
28.0 volts
Overall Diameter:
2.380 inches
Electrical Connection Type:
Connector receptacle
Connector Identification:
Pt1h-2-4p
Internal Battery Accommodation:
Not included
Current Rating At Maximum Rated Voltage:
500.0 milliamperes load
Float Quantity:
2
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 16.0 degrees fahrenheit
Mounting Method:
Flush
Mounting Position:
Vertical
Contact Arrangement:
Spst, normally open
Relay:
Not included
Liquid Type For Which Designed:
Aircraft fuel
Aircraft Fuel For Which Designed:
Specific
Aircraft Fuel Grade Specificationification:
Mil-g-5572 d, mil-t-5624 g
Aircraft Fuel Grade:
Grades 80/87, 100/130, 115/145, grades jp-4, jp-5
Aircraft Fuel Grade Specificationific Gravity Rating:
0.845 at 15.6/15.6 degrees c, max sp gr
Float Effective Travel:
Between 8.050 inches and 13.050 inches
Mounting Dimensions:
Mtd by one an924-12d nut modified by 6 ea safety wire holes
Tank Insertion Length:
14.500 inches

NSN 2915-00-868-2766

Liquid Level Switch - Page 2 of 2



Special	Features:
---------	-----------

Float position: down

Fsc Application Data:

Fuel system, acft

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

T109-d

Mil-std (military Standard):

Mil-g-5572 spec.