NSN 2920-00-155-8049

Engine Accessory Generator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2920-00-155-8049 **Thread Direction:** Right-hand Thread Length: 0.812 inches **Furnished Items:** Cooling fan **Second Step Diameter:** 0.750 inches **Keyway Width:** 0.156 inches **Unthreaded Portion Length:** 1.219 inches **Mounting Hole Depth:** Any acceptable **Mounting Style:** Pilot mtd w/two mtg holes **Err Default:** Err default **Keyway Length:** 0.625 inches Submersibility: Nonsubmersible **Maximum Operating Altitude Rating:** Not rated **Shaft Rotation Direction:** Clockwise **Distance From End To Keyway Center:** 1.406 inches **Thread Diameter:** 0.500 inches **Armature Minimum Speed In Rpm At Full Current Output: Maximum Output Current Rating In Amps:** 26.0 Minimum Current Cut-in Speed In Rpm: 850 **Grounding Method:** Internal **Shaft Drive End Style:** Straight shaft end, threaded, w/keyway

Angular Deviation Of First Hole From Top Center In Deg:

315.0

NSN 2920-00-155-8049

Engine Accessory Generator - Page 2 of 2



Annular Deviation Of Cocond Hale From First Hale In Dan.	
Angular Deviation Of Second Hole From First Hole In Deg:	
45.0	
Err Default:	
Err default	
Err Default:	
Err default	
Mounting Pilot Outside Diameter:	
Between 3.246 inches and 3.248 inches	
Distance From Mounting Hole Center To End Of Housing:	
1.562 inches	
Mounting Pilot Depth:	
2.375 inches	
Maximum Rated Armature Speed In Rpm:	
Not rated	
Thread Series:	
Unf	
Thread Class:	
2a	
Thready Qty Per Inch (tpi):	
20	
Voltage In Volts:	
12.0	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A14700	