

View Online at <https://aerobasegroup.com/nsn/2920-00-294-3685>

Body Material:

Iron, cast

Drive Connection Type:

Rigid coupled

Furnished Items:

Ignition coil

Mounting Hole Diameter:

Between 1.061 inches and 1.062 inches

Shaft Length:

5.250 inches

Environmental Protection:

Fungus resistant and submersible

Drive Shaft Type:

Tongue

Shaft Rotation Direction:

Clockwise

Mounting Facility Quantity:

1

Distributor Cap:

Included

Mounting Method:

Base

Impulse Quantity Per Revolution:

6

Ignition Type For Which Designed:

Single

Secondary Terminal Type:

Threaded

Spark Plug Terminal Accommodation Thread Series:

Unef

Coil Terminal Type:

Threaded

Coil Terminal Accommodation Thread Series:

Unef

Coil Terminal Accommodation Thread Diameter:

0.750 inches

Primary Terminal Accommodation Type:

Screw

Spark Advance Control Method:

Centrifugal

Maximum Advance Deg:

20.0

Contact Set Quantity:

1

Rpm At Maximum Advance:

1800.0

Mounting Facility:

Hole

Primary Terminal Accommodation Thread Series:

Unc

Features Provided:

Radio interference shielding

Spark Distribution Method:

Gap

Spark Plug Terminal Accommodation Thread Diameter:

0.625 inches

Spark Plug Terminal Accommodation Thready Qty Per Inch (tpi):

24

Coil Terminal Accommodation Thready Qty Per Inch (tpi):

20

Primary Terminal Accommodation Thread Diameter:

0.250 inches

Primary Terminal Accommodation Thready Qty Per Inch (tpi):

20

Special Features:

Surface treatment black enamel

Surface Treatment:

Enamel

Surface Treatment:

Enamel, black

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A12200