

View Online at <https://aerobasegroup.com/nsn/2920-00-294-3685>

**Body Material:**

Iron, cast

**Drive Connection Type:**

Rigid coupled

**Furnished Items:**

Ignition coil

**Mounting Hole Diameter:**

Between 1.061 inches and 1.062 inches

**Shaft Length:**

5.250 inches

**Environmental Protection:**

Fungus resistant and submersible

**Drive Shaft Type:**

Tongue

**Shaft Rotation Direction:**

Clockwise

**Mounting Facility Quantity:**

1

**Distributor Cap:**

Included

**Mounting Method:**

Base

**Impulse Quantity Per Revolution:**

6

**Ignition Type For Which Designed:**

Single

**Secondary Terminal Type:**

Threaded

**Spark Plug Terminal Accommodation Thread Series:**

Unef

**Coil Terminal Type:**

Threaded

**Coil Terminal Accommodation Thread Series:**

Unef

**Coil Terminal Accommodation Thread Diameter:**

0.750 inches

**Primary Terminal Accommodation Type:**

Screw

**Spark Advance Control Method:**

Centrifugal

**Maximum Advance Deg:**

20.0

**Contact Set Quantity:**

1

**Rpm At Maximum Advance:**

1800.0

**Mounting Facility:**

Hole

**Primary Terminal Accommodation Thread Series:**

Unc

**Features Provided:**

Radio interference shielding

**Spark Distribution Method:**

Gap

**Spark Plug Terminal Accommodation Thread Diameter:**

0.625 inches

**Spark Plug Terminal Accommodation Thready Qty Per Inch (tpi):**

24

**Coil Terminal Accommodation Thready Qty Per Inch (tpi):**

20

**Primary Terminal Accommodation Thread Diameter:**

0.250 inches

**Primary Terminal Accommodation Thready Qty Per Inch (tpi):**

20

**Special Features:**

Surface treatment black enamel

**Surface Treatment:**

Enamel

**Surface Treatment:**

Enamel, black

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A12200