NSN 2920-00-294-3913

Engine Accessory Generator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2920-00-294-3913 **Thread Direction:** Right-hand Thread Length: 0.500 inches **Furnished Items:** Cooling fan and woodruff key **Second Step Diameter:** 0.874 inches **Keyway Width:** 0.156 inches **Unthreaded Portion Length:** 1.312 inches **Mounting Hole Thread Direction:** Right-hand **Mounting Style:** Base flanged mtd w/ four threaded mtg holes **Center To Center Distance Between Mounting Holes Along Width:** 2.250 inches Center To Center Distance Between Mounting Holes Along Length: 2.500 inches **Environmental Protection:** Corrosion resistant and fungus resistant **Keyway Length:** 0.750 inches Submersibility: Nonsubmersible **Shaft Rotation Direction:** Clockwise **Distance From End To Keyway Center:** 1.109 inches **Thread Diameter:** 0.625 inches **Armature Minimum Speed In Rpm At Full Current Output:** 1125 **Maximum Output Current Rating In Amps:** Minimum Current Cut-in Speed In Rpm: 975 **Shaft Drive End Style:** Straight shaft end, threaded, w/keyway

Distance From Raised Face To First Mounting Hole Center:

2.250 inches

NSN 2920-00-294-3913

Engine Accessory Generator - Page 2 of 2



Distance From Shaft Centerline To Mounting Flange Surface:
3.125 inches
Maximum Rated Armature Speed In Rpm:
3000
Thread Series:
Jnf
Thread Class:
2a
Mounting Hole Thread Series Designator:
Jnc
Mounting Hole Thread Diameter:
0.375 inches
Mounting Hole Thready Qty Per Inch (tpi):
16
Mounting Hole Thread Class:
2b
Thready Qty Per Inch (tpi):
18
/oltage In Volts:
24.0
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No
Filg:
A14700