NSN 2920-00-413-4337

Engine Accessory Generator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2920-00-413-4337 **Thread Direction:** Right-hand Thread Length: 0.750 inches **Furnished Items:** Cooling fan **Second Step Diameter:** 0.874 inches **Keyway Width:** 0.125 inches **Unthreaded Portion Length:** 1.125 inches **Mounting Hole Thread Direction:** Right-hand **Environmental Protection:** Corrosion resistant **Keyway Length:** 0.625 inches Submersibility: Nonsubmersible **Shaft Rotation Direction:** Clockwise or counterclockwise **Distance From End To Keyway Center:** 1.375 inches **Thread Diameter:** 0.750 inches **Armature Minimum Speed In Rpm At Full Current Output:** 2000 **Maximum Output Current Rating In Amps:** 100.0 **Shaft Drive End Style:** Straight shaft end, threaded, w/keyway **Angular Deviation Of First Hole From Top Center In Deg:** 201.0 Angular Deviation Of Second Hole From First Hole In Deg: **Distance Between Inside Surfaces Of Hinge Bracket: 7.250** inches **Distance Between Outside Surfaces Of Hinge Bracket:** 8.125 inches

Bottom Mounting Hole Diameter: 0.453 inches

NSN 2920-00-413-4337 Engine Accessory Generator - Page 2 of 2



Maximum Rated Armature Speed In Rpm:
8000
Thread Series:
Unf
Thread Class:
2a
Mounting Hole Thread Series Designator:
Unc
Mounting Hole Thread Diameter:
0.375 inches
Mounting Hole Thready Qty Per Inch (tpi):
16
Mounting Hole Thread Class:
2b
Thready Qty Per Inch (tpi):
16
Voltage In Volts:
28.0
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A14700