

View Online at <https://aerobasegroup.com/nsn/2920-00-524-1148>

**Body Material:**

Steel

**Drive Connection Type:**

Rigid coupled

**Furnished Items:**

Ignition coil

**Shaft Length:**

5.250 inches

**Vacuum Rating:**

355.6 torr

**Environmental Protection:**

Fungus resistant

**Drive Shaft Type:**

Tongue

**Shaft Rotation Direction:**

Counterclockwise

**Distributor Cap:**

Included

**Mounting Method:**

Clamp

**Impulse Quantity Per Revolution:**

6

**Ignition Type For Which Designed:**

Single

**Secondary Terminal Type:**

Threaded

**Spark Plug Terminal Accommodation Thread Series:**

Unef

**Primary Terminal Accommodation Type:**

Screw

**Spark Advance Control Method:**

Vacuum

**Maximum Advance Deg:**

20.0

**Contact Set Quantity:**

1

**Primary Terminal Accommodation Thread Series:**

Unc

**Features Provided:**

Radio interference shielding

**Spark Distribution Method:**

Contact

**Spark Plug Terminal Accommodation Thread Diameter:**

0.688 inches

**Spark Plug Terminal Accommodation Thread Qty Per Inch (tpi):**

24

**Primary Terminal Accommodation Thread Diameter:**

0.750 inches

**Primary Terminal Accommodation Thread Qty Per Inch (tpi):**

20

**Surface Treatment:**

Paint

**Surface Treatment:**

Paint

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A12200