

View Online at <https://aerobasegroup.com/nsn/2920-00-536-9097>

Body Material:

Any acceptable

Drive Connection Type:

Impulse coupled

Mounting Slot Width:

0.385 inches

Mounting Slot Length:

0.814 inches

Shaft Length:

2.232 inches

Distance Between Mounting Facility Centers:

4.188 inches

Performance Type:

High tension

Drive Shaft Type:

Tongue

Shaft Rotation Direction:

Counterclockwise

Mounting Facility Quantity:

2

Pole Quantity:

2

Distributor Cap:

Included

Mounting Method:

Flange

Impulse Quantity Per Revolution:

4

Ignition Type For Which Designed:

Single

Secondary Terminal Type:

Threaded

Spark Plug Terminal Accommodation Thread Series:

Unef

Spark Advance Control Method:

Manual

Maximum Advance Deg:

39.0

Rotation Element Type:

Permanent magnet rotor

Contact Set Quantity:

1

Mounting Facility:

Slot

Features Provided:

Radio interference shielding

Spark Distribution Method:

Gap

Spark Plug Terminal Accommodation Thread Diameter:

0.625 inches

Spark Plug Terminal Accommodation Thready Qty Per Inch (tpi):

24

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A12200