

View Online at <https://aerobasegroup.com/nsn/2920-00-569-9006>

**Body Material:**

Any acceptable

**Drive Connection Type:**

Helical gear

**Shaft Length:**

5.250 inches

**Environmental Protection:**

Fungus resistant

**Drive Shaft Type:**

Straight spline

**Shaft Rotation Direction:**

Counterclockwise

**Distributor Cap:**

Included

**Mounting Method:**

Clamp

**Impulse Quantity Per Revolution:**

8

**Ignition Type For Which Designed:**

Single

**Secondary Terminal Type:**

Threaded

**Spark Plug Terminal Accommodation Thread Series:**

Unef

**Coil Terminal Type:**

Threaded

**Coil Terminal Accommodation Thread Series:**

Unef

**Coil Terminal Accommodation Thread Diameter:**

0.750 inches

**Primary Terminal Accommodation Type:**

Wire lead

**Spark Advance Control Method:**

Centrifugal

**Maximum Advance Deg:**

28.0

**Contact Set Quantity:**

1

**Rpm At Maximum Advance:**

2700.0

**Spark Distribution Method:**

Gap

**Spark Plug Terminal Accommodation Thread Diameter:**

0.625 inches

**Spark Plug Terminal Accommodation Thready Qty Per Inch (tpi):**

24

**Coil Terminal Accommodation Thready Qty Per Inch (tpi):**

20

**Surface Treatment:**

Any acceptable

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A12200