

View Online at <https://aerobasegroup.com/nsn/2920-00-735-0410>

**Body Material:**

Aluminum alloy

**Drive Connection Type:**

Helical gear

**Shaft Length:**

2.210 inches

**Environmental Protection:**

Fungus resistant and submersible

**Drive Shaft Type:**

Tongue

**Shaft Rotation Direction:**

Counterclockwise

**Distributor Cap:**

Included

**Mounting Method:**

Bracket

**Impulse Quantity Per Revolution:**

6

**Ignition Type For Which Designed:**

Single

**Secondary Terminal Type:**

Threaded

**Spark Plug Terminal Accommodation Thread Series:**

Unf

**Coil Terminal Type:**

Threaded

**Coil Terminal Accommodation Thread Series:**

Unef

**Coil Terminal Accommodation Thread Diameter:**

0.750 inches

**Primary Terminal Accommodation Type:**

Wire lead

**Spark Advance Control Method:**

Vacuum

**Maximum Advance Deg:**

13.0

**Contact Set Quantity:**

1

**Spark Distribution Method:**

Gap

**Spark Plug Terminal Accommodation Thread Diameter:**

0.625 inches

**Spark Plug Terminal Accommodation Thready Qty Per Inch (tpi):**

24

**Coil Terminal Accommodation Thready Qty Per Inch (tpi):**

20

**Surface Treatment:**

Anodize

**Surface Treatment:**

Anodized

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A12200