

View Online at <https://aerobasegroup.com/nsn/2920-00-735-4165>

Spline Major Diameter:

Between 0.863 inches and 0.867 inches

Pilot Diameter:

Between 4.120 inches and 4.122 inches

Furnished Items:

Terminal shield and quick disconnect mounting band

Spline Quantity:

16

Mounting Hole Diameter:

0.391 inches

Mounting Hole Quantity:

6

Mounting Hole Circle Radius:

Between 4.998 inches and 5.002 inches

Pilot Height:

0.156 inches

Environmental Protection:

Corrosion resistant and fungus resistant

Submersibility:

Submersible

Shaft Rotation Direction:

Counterclockwise

Spline Length:

1.625 inches

Ground Polarity Type:

Negative or positive

Armature Minimum Speed In Rpm At Full Current Output:

1600

Maximum Output Current Rating In Amps:

25.0

Grounding Method:

Internal

Shaft Drive End Style:

Splined shaft end

Angular Deviation Of First Hole From Top Center In Deg:

39.0

Maximum Rated Armature Speed In Rpm:

8000

Voltage In Volts:

24.0

Fsc Application Data:

Engine electrical system, nonaircraft

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A14700