NSN 2920-00-735-4165

Engine Accessory Generator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2920-00-735-4165

view Online at https://aerobasegroup.com/nsn/2920-00-735-410
Spline Major Diameter:
Between 0.863 inches and 0.867 inches
Pilot Diameter:
Between 4.120 inches and 4.122 inches
Furnished Items:
Terminal shield and quick disconnect mounting band
Spline Quantity:
16
Mounting Hole Diameter:
0.391 inches
Mounting Hole Quantity:
6
Mounting Hole Circle Radius:
Between 4.998 inches and 5.002 inches
Pilot Height:
0.156 inches
Environmental Protection:
Corrosion resistant and fungus resistant
Submersibility:
Submersible
Shaft Rotation Direction:
Counterclockwise
Spline Length:
1.625 inches
Ground Polarity Type:
Negative or positive
Armature Minimum Speed In Rpm At Full Current Output:
1600
Maximum Output Current Rating In Amps:
25.0
Grounding Method:
Internal
Shaft Drive End Style:
Splined shaft end
Angular Deviation Of First Hole From Top Center In Deg:
39.0
Maximum Rated Armature Speed In Rpm:
8000
Voltage In Volts:
24.0

Fsc Application Data:

Engine electrical system, nonaircraft

NSN 2920-00-735-4165

Engine Accessory Generator - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A14700