

View Online at <https://aerobasegroup.com/nsn/2920-00-740-2753>

Body Material:

Steel

Drive Connection Type:

Coupling half

Mounting Hole Diameter:

Between 2.988 inches and 3.000 inches

Environmental Protection:

Fungus resistant and submersible

Performance Type:

High tension

Shaft Rotation Direction:

Clockwise

Mounting Facility Quantity:

1

Pole Quantity:

2

Distributor Cap:

Included

Mounting Method:

Base

Impulse Quantity Per Revolution:

1

Ignition Type For Which Designed:

Single

Secondary Terminal Type:

Threaded

Spark Plug Terminal Accommodation Thread Series:

Unef

Coil Terminal Type:

Threaded

Coil Terminal Accommodation Thread Series:

Unef

Coil Terminal Accommodation Thread Diameter:

0.750 inches

Spark Advance Control Method:

Manual

Maximum Advance Deg:

15.0

Rotation Element Type:

Permanent magnet rotor

Contact Set Quantity:

1

Mounting Facility:

Hole

Features Provided:

Radio interference shielding

Spark Distribution Method:

Gap

Spark Plug Terminal Accommodation Thread Diameter:

0.625 inches

Spark Plug Terminal Accommodation Thready Qty Per Inch (tpi):

24

Coil Terminal Accommodation Thready Qty Per Inch (tpi):

20

Surface Treatment:

Enamel

Surface Treatment:

Enamel

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A12200