

View Online at <https://aerobasegroup.com/nsn/2925-00-555-0584>

**Body Material:**

Magnesium

**Drive Connection Type:**

Rigid coupled

**Mounting Slot Width:**

0.391 inches

**Mounting Slot Length:**

0.922 inches

**Shaft Length:**

1.151 inches

**Environmental Protection:**

Fungus resistant

**Distance Between Mounting Facility Centers:**

5.250 inches

**Drive Shaft Type:**

Threaded

**Shaft Rotation Direction:**

Clockwise

**Mounting Facility Quantity:**

3

**Distributor Cap:**

Not included

**Mounting Method:**

Base

**Impulse Quantity Per Revolution:**

18

**Ignition Type For Which Designed:**

Single

**Primary Terminal Accommodation Type:**

Wire lead

**Spark Advance Control Method:**

Manual

**Maximum Advance Deg:**

5.0

**Contact Set Quantity:**

4

**Mounting Facility:**

Slot

**Features Provided:**

Radio interference shielding

**Spark Distribution Method:**

Contact

**Special Features:**

Surface treatment black enamel

**Surface Treatment:**

Enamel

**Surface Treatment:**

Enamel

**Fsc Application Data:**

Engine electrical system, aircraft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A12200