NSN 2925-00-881-0164

Engine Accessory Generator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2925-00-881-0164
Spline Minor Diameter:
Between 0.655 inches and 0.665 inches
Spline Major Diameter:
Between 0.848 inches and 0.850 inches
Spline Width:
Between 0.204 inches and 0.207 inches
Slot Width:
Between 0.400 inches and 0.430 inches
Slot Length:
Between 1.1985 inches and 1.2255 inches
Spline Quantity:
6
Mounting Hole Circle Radius:
2.500 inches
Mounting Style:
Round flange w/slots evenly spaced
Submersibility:
Nonsubmersible
Maximum Operating Altitude Rating:
20000.0 feet
Shaft Rotation Direction:
Counterclockwise
Slot Quantity:
6
Spline Length:
Between 1.450 inches and 1.460 inches
Ground Polarity Type:
Negative
Armature Minimum Speed In Rpm At Full Current Output:
2650
Maximum Output Current Rating In Amps:
100.0
Minimum Current Cut-in Speed In Rpm:
2000
Rectifier Location:
Integral
Grounding Method:
External
Shaft Drive End Style:
Splined shaft end

4000

Maximum Rated Armature Speed In Rpm:

NSN 2925-00-881-0164

Engine Accessory Generator - Page 2 of 2



Voltage	ln	۷o	lts:
---------	----	----	------

28.0

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A14700