NSN 2940-00-852-5690

Fluid Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2940-00-852-5690

Mounting Type:
Bracket base
Mounting Hole Diameter:
Any acceptable
Mounting Hole Quantity:
2
Body Length:
6.781 inches
Body Outside Diameter:
3.094 inches
Body Height:
4.000 inches
Filtration Rating In Microns:
15.0
Distance Between Mounting Hole Centers:
Any acceptable
Design Type:
Reusable
Features Provided:
By-pass valve and drain plug
Bracket Quantity:
1
1 Filtering Element Quantity:
Filtering Element Quantity:
Filtering Element Quantity:
Filtering Element Quantity: 1 Maximum Operating Pressure:
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design:
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design: Any acceptable single filtering media response
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design: Any acceptable single filtering media response First Intake Connection Type:
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design: Any acceptable single filtering media response First Intake Connection Type: Threaded internal pipe head side
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design: Any acceptable single filtering media response First Intake Connection Type: Threaded internal pipe head side First Discharge Connection Type:
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design: Any acceptable single filtering media response First Intake Connection Type: Threaded internal pipe head side First Discharge Connection Type: Threaded internal pipe head side
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design: Any acceptable single filtering media response First Intake Connection Type: Threaded internal pipe head side First Discharge Connection Type: Threaded internal pipe head side First Intake Thread Series Designator:
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design: Any acceptable single filtering media response First Intake Connection Type: Threaded internal pipe head side First Discharge Connection Type: Threaded internal pipe head side First Intake Thread Series Designator: Npt
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design: Any acceptable single filtering media response First Intake Connection Type: Threaded internal pipe head side First Discharge Connection Type: Threaded internal pipe head side First Intake Thread Series Designator: Npt First Discharge Thread Series Designator:
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design: Any acceptable single filtering media response First Intake Connection Type: Threaded internal pipe head side First Discharge Connection Type: Threaded internal pipe head side First Intake Thread Series Designator: Npt First Discharge Thread Series Designator: Npt
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design: Any acceptable single filtering media response First Intake Connection Type: Threaded internal pipe head side First Discharge Connection Type: Threaded internal pipe head side First Intake Thread Series Designator: Npt First Discharge Thread Series Designator: Npt First Intake Thread Size:
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design: Any acceptable single filtering media response First Intake Connection Type: Threaded internal pipe head side First Discharge Connection Type: Threaded internal pipe head side First Intake Thread Series Designator: Npt First Discharge Thread Series Designator: Npt First Intake Thread Size: 0.500 inches
Filtering Element Quantity: 1 Maximum Operating Pressure: 100.0 pounds per square inch Filtering Media Design: Any acceptable single filtering media response First Intake Connection Type: Threaded internal pipe head side First Discharge Connection Type: Threaded internal pipe head side First Intake Thread Series Designator: Npt First Discharge Thread Series Designator: Npt First Intake Thread Size: 0.500 inches First Discharge Thread Size:

NSN 2940-00-852-5690

Fluid Filter - Page 2 of 2



First Discharge Thread Direction:
Right-hand
Material:
Any acceptable filtering medium
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A24000