

View Online at <https://aerobasegroup.com/nsn/2940-01-159-6200>

**Mounting Type:**

Threaded hole top

**Mounting Hole Quantity:**

4

**Body Outside Diameter:**

4.570 inches

**Body Height:**

9.250 inches

**Filtration Rating In Microns:**

12.0 absolute

**Differential Pressure:**

25.0 pounds per square inch

**Distance Between Mounting Hole Centers:**

2.500 inches and 2.502 inches

**Design Type:**

Reusable

**Temperature Rating:**

Between -45.0 degrees fahrenheit and 275.0 degrees fahrenheit

**Features Provided:**

Air bleed valve and antidrain back device and by-pass valve and differential pressure indicator and thermal lockout

**Filtering Element Quantity:**

1

**Mounting Facility Thread Series Designator:**

Unc

**Maximum Operating Pressure:**

1000.0 pounds per square inch

**Filtering Media Design:**

Pleated single filtering media response

**First Intake Connection Type:**

Threaded internal tube head side

**Mounting Facility Thread Size:**

0.315 inches

**First Discharge Connection Relationship To Intake Connection:**

Identical to first intake connection

**First Intake Thread Series Designator:**

Un

**First Intake Thread Size:**

1.0625 inches

**First Intake Thready Qty Per Inch (tpi):**

12

**First Intake Thread Class:**

3b

**First Intake Thread Direction:**

Right-hand

**Filtering System For Which Designed:**

Full flow

**Special Features:**

Low pressure; knurled gripping band

**Material:**

Steel sediment bowl or stainless steel sediment bowl

**Media For Which Designed:**

Fuel/oil, hydrocarbon

**Style Designator:**

High pressure threaded body

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A24000