NSN 2995-00-911-2615

Linear Actuating Cylinder Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/2995-00-911-2615

Mounting Provision:

Unthreaded mounting holes

Tempurature Rating:

185.0 degrees fahrenheit

Seat Angle In Deg:

12.0

First End Hole Diameter:

Between 0.4995 inches and 0.5015 inches

Pressure Rating:

4000.0 pounds per square inch

Design Characteristics:

Single acting single cylinder

First Piston Rod End Style:

Fork type (clevis)

First End Largest Inside Diameter:

Between 0.4995 inches and 0.5015 inches

First End Fork Width:

Between 0.980 inches and 1.020 inches

First End Fork Depth:

Between 1.175 inches and 1.205 inches

First End Fork Span Width:

Between 0.630 inches and 0.640 inches

Mounting Type And Location:

Tongue cylinder head end

Mounting Facility Diameter:

Between 0.4995 inches and 0.5015 inches

Port Location And Quantity:

2 center section

Port Style:

Flareless

Port Thread Series Designator:

Unif

Port Thread Diameter:

0.562 inches

Port Thready Qty Per Inch (tpi):

18

Port Thread Class:

За

Fsc Application Data:

Actuator, jet engine, model c141 acft

Reference Number Differentiating Characteristics:

As differentiated by source controlled drawing

NSN 2995-00-911-2615

Linear Actuating Cylinder Assembly - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A34200