

View Online at <https://aerobasegroup.com/nsn/3010-00-049-8783>

Body Style:

Flexible keyway insert type, through bore

Overall Length:

0.438 inches

Outside Diameter:

1.000 inches

Bore Diameter:

Between 0.2500 inches and 0.2530 inches

Bore Length:

0.3130 inches

Bore Shape:

Straight

Special Features:

1) positioning hole located 1/16" from end, centered on one key; fsc application data (1) oscillator radio frequency; surface treatment: cadmium plated; unthreaded bore dia.: 0.078" nom.; distance from bore centerline to body keying facility bottom/top: 0.156" nom.; body keying facility wd: 0.236" nom.; body keying facility dep/ht: 0.125" nom.; hole thread size designator: 6-32; positioning hole style: plain; threaded hole location: 7/64" from end of hub, 90 deg. Apart; securing method: threaded hole; keying facility and bore counterbore feature: not included; hub od: 1/2" nom.; thread provision: unthreaded; flange thickness: 0.188" nom.

Material:

Copper alloy

Material Specification:

Mil-b-892 amend i, condition 1/2 hard military specification single material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A521x0

Mil-std (military Standard):

Mil-b-892 spec.