NSN 3010-00-155-5983Shaft Coupling Half - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3010-00-155-5983
Body Style:
2 hole flange, through bore
Spline Major Diameter:
Between 0.7490 inches and 0.7493 inches
Overall Length:
Between 1.240 inches and 1.260 inches
Spline Quantity:
6
Bore Length:
Between 1.1200 inches and 1.1800 inches
Bore Shape:
Splined
Special Features:
2) 0.093" dia. X 0.100" deep drill holes in side of coupling on positioning hole center lines; material: copper, silicon alloy, n, 46b28;
unthreaded bore depth: 0.055" min., 0.065" max.; unthreaded bore dia.: 0.374" min., 0.376" max.; bore thread size designator: 3/8-16-nc;
positioning facility bolt circle dia.: 2.246" min., 2.254" max.; positioning facility qty: 2; positioning hole style: body-bound; bore counterbore
feature: not included; keying facility: not included; o/a outside dimension: 3" nom. Plus .000", minus .020"; spline lg.: 1.120" min., 1.180"
max.; hub od: 1.300" nom.; thread provision: unthreaded; flange thickness: 0.440" min., 0.460" max.; spline minor dia.: 0.637" min.,
0.638" max.
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No No
Fiig:
A521x0