NSN 3010-00-203-1698

Shaft Coupling Half - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3010-00-203-1698

Body Style:
Flexible keyway insert type, through bore
Overall Length:
0.343 inches
Bore Diameter:
0.2500 inches
Bore Length:
0.2800 inches
Bore Shape:
Straight
Special Features:
Fsc application data: receiver, radio, except airborne; surface treatment: passivated; offset distance between centerlines of bore and body
keying facility: a/a; distance from bore centerline to body keying facility bottom/top: 0.125" nom.; body keying facility depth/ht: 0.063" nom.;
body keying facility wd: 0.155" nom.; securing method: clamp; bore counterbore feature: not included; keying facility type: integral key;
keying facility spacing in deg.: 180; keying facility qty: 2; keying facility: included; o/a outside dimension: 0.875" nom.; hub od: 0.312" nom.;
thread provision: unthreaded; distance from center of bore to top of key: 0.438" nom.; key wd: 0.155" nom.; flange thickness: 0.125" nom.
Material:
Steel
Material Specification:
An-s-771, type 303 military specification single material response
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A521x0
Mil-std (military Standard):
spec.