## NSN 3010-00-203-1698

Shaft Coupling Half - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3010-00-203-1698

## Body Style:

Flexible keyway insert type, through bore

**Overall Length:** 

0.343 inches

Bore Diameter:

0.2500 inches

Bore Length:

0.2800 inches

Bore Shape:

Straight

## **Special Features:**

Fsc application data: receiver, radio, except airborne; surface treatment: passivated; offset distance between centerlines of bore and body keying facility: a/a; distance from bore centerline to body keying facility bottom/top: 0.125" nom.; body keying facility depth/ht: 0.063" nom.; body keying facility wd: 0.155" nom.; securing method: clamp; bore counterbore feature: not included; keying facility type: integral key; keying facility spacing in deg.: 180; keying facility qty: 2; keying facility: included; o/a outside dimension: 0.875" nom.; hub od: 0.312" nom.; thread provision: unthreaded; distance from center of bore to top of key: 0.438" nom.; key wd: 0.155" nom.; flange thickness: 0.125" nom. **Material:** 

Steel

## **Material Specification:**

An-s-771, type 303 military specification single material response

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A521x0

Mil-std (military Standard):

spec.