

View Online at <https://aerobasegroup.com/nsn/3010-00-273-3864>

**Body Style:**

2 hole flange, through bore

**Spline Major Diameter:**

Between 0.749 inches and 0.750 inches

**Overall Length:**

Between 0.469 inches and 0.484 inches

**Spline Quantity:**

6

**Bore Length:**

Between 0.4690 inches and 0.4840 inches

**Bore Shape:**

Splined

**Special Features:**

0.031" by 0.031" beveled splines at hub end; surface treatment: painted; positioning facility bolt circle dia.: 2.245" min., 2.255" max.; positioning facility qty: 2; unthreaded hole location: thru flange 180 deg. Apart; unthreaded hole qty: 2; securing method: unthreaded hole; bore counterbore feature: not included; o/a outside dimension: 2.984" min., 3.016" max.; spline lg.: 0.469" min., 0.484" max.; hub od: 1.490" min., 1.510" max.; flange thickness: 0.172" min. 0.203" max.; spline minor dia.: 0.637" min., 0.749" max.; hole dia.: 0.323" min., 0.328" max.

**Material:**

Steel

**Material Specification:**

Mil-s-16788, class c2 military specification single material response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A521x0

**Mil-std (military Standard):**

Mil-s-16788 spec.