NSN 3010-00-273-4054

Shaft Coupling Half - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3010-00-273-4054

view offilite at https://aerobasegroup.com/nsn/5010-00-2/5-4004
Body Style:
Multiple positioning holes
Overall Length:
Between 0.401 inches and 0.411 inches
Outside Diameter:
Between 0.620 inches and 0.630 inches
Bore Diameter:
Between 0.1243 inches and 0.1248 inches
Bore Length:
Between 0.4010 inches and 0.4110 inches
Bore Shape:
Straight
Special Features:
Surface treatment: passivated; unthreaded bore dia.: 0.063" nom.; positioning facility bolt circle dia.: 0.495" min., 0.505" max.; positioning
facility qty: 2; hole thread size designator: 4 - 40; positioning hole style: plain; threaded hole location: 0.141" from end of hub on same
center line as positioning holes; threaded hole qty: 2; securing method: threaded hole; bore counterbore feature and keying facility: not
included; hub od: 0.370" min., 0.380" max.; thread provision: unthreaded; flange thickness: 0.151" min., 0.161" max.
Material:
Steel
Material Specification:
Aisi, 303 assn standard single material response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A521x0