# NSN 3010-00-288-4409

Shaft Coupling Half - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3010-00-288-4409

# **Body Style:**

Flexible keyway insert type, through bore

# **Overall Length:**

0.438 inches

# **Outside Diameter:**

1.000 inches

# Bore Diameter:

Between 0.2510 inches and 0.2530 inches

#### Bore Length:

0.3130 inches

#### Bore Shape:

Straight

# **Special Features:**

6surface treatment: cadmium plated; distance from bore centerline to body keying facility bottom/top: 0.313" nom.; threaded hole location: located on hub, 90 deg. Apart 7/64" from end of hub; body keying facility dep/ht: 0.125" nom.; body keying facility wd: 0.233" min., 0.236" max.; hole thread size designator: 6 - 32; threaded hole qty: 2; securing method: threaded hole; keying facility and bore counterbore feature: not included; hub od: 0.563" nom.; thread provision: unthreaded; flange thickness: 0.188" nom.

#### Material:

Copper alloy

# **Material Specification:**

Mil-b-895, amend i, condition 1/2 hard military specification single material response

#### Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

No

# Fiig:

A521x0

# Mil-std (military Standard):

Mil-b-895 spec.