

View Online at <https://aerobasegroup.com/nsn/3010-00-452-2208>

Overall Height:

12.440 inches

Overall Length:

18.250 inches

Overall Width:

14.250 inches

Keyway Width:

0.3120 inches single end

Keyway Depth:

0.1880 inches single end

Shaft Diameter:

1.3750 inches single end

Current Type:

Ac input

Keyway Length:

2.5000 inches single end

Shaft Rotation Direction:

Clockwise single end or counterclockwise single end

Duty Cycle:

Continuous

Inclosure Feature:

Dustproof

Winding Type:

Repulsion-induction

Mounting Facility Type And Quantity:

4 unthreaded hole

Geared Head Output Shaft Alignment Position:

Offset above parallel to shaft axis single end

Cooling Method:

Ambient air

Inclosure Specificationification:

Mil-std-108

Features Provided:

Horizontal mounting position

Power Rating:

0.1666 horsepower output

Length Of Shaft From Housing:

3.280 inches single end

Shaft Center To Mounting Surface Distance:

6.750 inches single end

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.1208 inches

Temperature Rating:

40.0 operating degrees celsius and 55.0 ambient degrees celsius

Center To Center Distance Between Mounting Facilities Parallel To Width:

12.630 inches

Connection Type And Voltage Rating In Volts:

440.0 line to neutral single input

Geared Head Output Shaft Speed Rating:

0.580 single revolutions per minute single end

Shaft End Characteristic:

A9 single style single end

Phase:

Three input

Frequency In Hertz:

60.0 input

Fsc Application Data:

Test set, guided missile system

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A271a0

Mil-std (military Standard):

Mil-std-108 spec.