NSN 3010-00-583-3298

Gearcase-motor - Page 1 of 2

Overall Height:



View Online at https://aerobasegroup.com/nsn/3010-00-583-3298

| 2.437 inches |
|---|
| Overall Length: |
| 2.539 inches |
| Overall Width: |
| 2.125 inches |
| Shaft Diameter: |
| 0.2499 inches single end |
| Current Type: |
| Ac input |
| Shaft Rotation Direction: |
| Counterclockwise single end |
| Duty Cycle: |
| Continuous |
| Inclosure Feature: |
| Totally enclosed |
| Winding Type: |
| Synchronous |
| Mounting Method: |
| Fixed base |
| Mounting Facility Type And Quantity: |
| 2 unthreaded hole |
| Geared Head Output Shaft Alignment Position: |
| Offset above parallel to shaft axis single end |
| Cooling Method: |
| Nonventilated |
| Current Rating Method: |
| Load |
| Torque Rating And Type: |
| 0.025 inch-ounces running and 0.025 inch-ounces starting |
| Speed Control Method And Device Type: |
| Automatic mechanical |
| Inclosure Specificationification: |
| Commercial |
| Features Provided: |
| Vertical mounting position and horizontal mounting position |
| Length Of Shaft From Housing: |
| 1.070 inches single end |
| Shaft Center To Mounting Surface Distance: |
| 1.969 inches single end |
| Tempurature Rating: |
| 50.0 ambient degrees celsius |

NSN 3010-00-583-3298

Gearcase-motor - Page 2 of 2

Fiig: A271a0



| Center To Center Distance Between Mounting Facilities Parallel To Width: |
|--|
| 1.875 inches |
| Current Rating In Amps: |
| 0.055 single output |
| Connection Type And Voltage Rating In Volts: |
| 115.0 line to neutral single input |
| Geared Head Output Shaft Speed Rating: |
| 0.266 single revolutions per minute single end |
| Shaft End Characteristic: |
| A1 single style single end |
| Phase: |
| Single input |
| Frequency In Hertz: |
| 400.0 input |
| Terminal Type And Quantity: |
| 4 wire lead |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |