NSN 3010-00-640-2645

Rigid Shaft Coupling - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3010-00-640-2645

Spline Minor Diameter:

0.5310 inches both ends and 0.5360 inches both ends

Spline Major Diameter:

0.6180 inches both ends and 0.6380 inches both ends

Overall Length:

5.380 inches

Spline Quantity:

18 second end

Bore Diameter:

0.4000 inches first end

Overall Diameter:

0.980 inches

Bore Length:

4.2500 inches both ends and 4.2600 inches both ends

End Application:

Gasoline reciprocating engine, aircraft

Bore Shape:

Straight first end

Spline Pressure Angle In Deg:

30.000 first end

Spline Length:

0.3200 inches both ends and 0.3300 inches both ends

Spline Type:

Involute second end

Features Provided:

Bore counterbore

Body Material:

Stainless steel

Special Features:

Between counterbore diameter: 0.650 in. And 0.652 in.; counterbore depth: 0.620 in.; flange width: 0.080 in.; pitch diameter: 0.5625 in.; bore shape is straight and splined; hub diameter: 0.800 in.; end diameter: 0.838 in. And 0.839 in.

Shelf Life:

N/a

```
Unit Of Measure:
```

```
---
```

```
Demilitarization:
```

No

Fiig:

A522c0