## NSN 3010-00-643-0569

Gearcase-motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3010-00-643-0569 **Overall Height:** 

4.875 inches

**Overall Length:** 

8.375 inches

Overall Width:

5.735 inches

**Keyway Width:** 

0.1250 inches single end

**Keyway Depth:** 

0.1250 inches single end

**Shaft Diameter:** 

0.5000 inches single end

**Current Type:** 

Ac input and dc input

**Shaft Rotation Direction:** 

Clockwise single end or counterclockwise single end

**Duty Cycle:** 

Continuous

Inclosure Feature:

Open protected

Winding Type:

Series wound

**Mounting Facility Type And Quantity:** 

2 unthreaded hole

**Geared Head Output Shaft Alignment Position:** 

Angled to armature/rotor axis single end

**Cooling Method:** 

Natural convection ventilated

**Current Rating Method:** 

Load

**Speed Control Method And Device Type:** 

Electrical remote

**Inclosure Specificationification:** 

Mil-std-108

**Features Provided:** 

Vertical mounting position and horizontal mounting position

**Power Rating:** 

0.0120 horsepower output

**Length Of Shaft From Housing:** 

1.000 inches single end

**Shaft Center To Mounting Surface Distance:** 

3.000 inches single end

## NSN 3010-00-643-0569

Gearcase-motor - Page 2 of 2



Tempurature Rating:
50.0 operating degrees celsius and 45.0 ambient degrees celsius
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.625 inches
Current Rating In Amps:
0.640 single output
Connection Type And Voltage Rating In Volts:
120.0 line to neutral single input
Geared Head Output Shaft Speed Rating:
22.000 single revolutions per minute single end
Shaft End Characteristic:
A9 single style single end
Phase:
Single input
Frequency In Hertz:
60.0 input
Terminal Type And Quantity:
4 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A271a0

Mil-std (military Standard):

Mil-std-108 spec.