# NSN 3010-00-675-6242

Gearcase-motor - Page 1 of 2





#### **Overall Length:**

2.223 inches

#### **Overall Width:**

0.937 inches

#### Shaft Diameter:

0.1250 inches single end

#### **Current Type:**

Ac input

#### **Shaft Rotation Direction:**

Counterclockwise single end

#### **Duty Cycle:**

Continuous

#### **Inclosure Feature:**

Totally enclosed

#### Winding Type:

Induction-single value capacitor split phase

### Mounting Method:

Clamp ring

#### Mounting Facility Type And Quantity:

1 clamp collar

### Geared Head Output Shaft Alignment Position:

Inline w/armature single end

#### **Cooling Method:**

Nonventilated

#### **Current Rating Method:**

Locked rotor

#### **Torque Rating And Type:**

20.0 inch-ounces running and 25.0 inch-ounces stalled

#### Inclosure Specificationification:

Commercial

#### **Features Provided:**

Vertical mounting position and horizontal mounting position

# Length Of Shaft From Housing:

0.457 inches single end

# Tempurature Rating:

-55.0 operating degrees celsius and 100.0 operating degrees celsius

# Current Rating In Amps:

0.165 first multiple input or 0.165 second multiple input

# Connection Type And Voltage Rating In Volts:

26.0 line to line first multiple input or 26.0 line to line second multiple input

# Geared Head Output Shaft Speed Rating:

12.700 single revolutions per minute single end

# NSN 3010-00-675-6242

Gearcase-motor - Page 2 of 2



Shaft End Characteristic:

A1 single style single end

Phase:

Two input

Frequency In Hertz:

400.0 input

Terminal Type And Quantity:

5 screw

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A271a0