

View Online at <https://aerobasegroup.com/nsn/3010-00-679-9396>

**Overall Height:**

1.375 inches

**Overall Length:**

3.385 inches

**Overall Width:**

1.124 inches

**Hole Diameter:**

0.0620 inches single end

**Hole Depth:**

0.1870 inches single end

**Shaft Diameter:**

0.1874 inches single end

**Current Type:**

Dc input

**Hole Center To Shaft End Distance:**

0.0940 inches single end

**Maximum Operating Altitude Rating:**

75000.0 feet

**Shaft Rotation Direction:**

Counterclockwise single end

**Duty Cycle:**

Intermittent

**Winding Type:**

Series wound

**Mounting Method:**

Pad

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Time Interval:**

2.0 seconds on and 3.0 seconds off

**Geared Head Output Shaft Alignment Position:**

Angled to armature/rotor axis single end

**Cooling Method:**

Air to air cooled

**Current Rating Method:**

Load

**Torque Rating And Type:**

2.0 inch-pounds running and 2.5 inch-pounds stalled and 2.5 inch-pounds starting

**Speed Control Method And Device Type:**

Automatic remote

**Inclosure Specificationification:**

Commercial

**Length Of Shaft From Housing:**

0.550 inches single end

**Tempurature Rating:**

-55.0 operating degrees celsius and 85.0 operating degrees celsius

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.812 inches

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

0.812 inches

**Current Rating In Amps:**

0.250 single output

**Connection Type And Voltage Rating In Volts:**

27.5 line to neutral single input

**Geared Head Output Shaft Speed Rating:**

33.000 single revolutions per minute single end

**Angle Of Shaft To Mounting Base:**

90.0 degrees single end

**Shaft End Characteristic:**

A13 single style single end

**Terminal Type And Quantity:**

2 solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A271a0