

View Online at <https://aerobasegroup.com/nsn/3010-00-783-7037>

**Overall Height:**

1.375 inches

**Overall Length:**

3.938 inches

**Overall Width:**

1.375 inches

**Shaft Diameter:**

0.749 inches single end and 0.759 inches single end

**Current Type:**

Ac input

**Maximum Operating Altitude Rating:**

10000.0 feet

**Shaft Rotation Direction:**

Clockwise single end or counterclockwise single end

**Duty Cycle:**

Continuous

**Inclosure Feature:**

Totally enclosed

**Winding Type:**

Synchronous

**Mounting Method:**

Flange

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Geared Head Output Shaft Alignment Position:**

Inline w/armature single end

**Cooling Method:**

Nonventilated

**Current Rating Method:**

Load

**Torque Rating And Type:**

3.0 inch-ounces running

**Speed Control Method And Device Type:**

Electrical mechanical

**Inclosure Specification:**

Commercial

**Features Provided:**

Vertical mounting position and horizontal mounting position

**Length Of Shaft From Housing:**

0.500 inches single end

**Temperature Rating:**

-40.0 operating degrees celsius and 71.0 operating degrees celsius

**Mounting Facility Circle Diameter:**

0.406 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.812 inches

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

0.812 inches

**Current Rating In Amps:**

0.100 single output

**Connection Type And Voltage Rating In Volts:**

115.0 line to neutral single input

**Geared Head Output Shaft Speed Rating:**

0.195 single revolutions per minute single end

**Angle Of Shaft To Mounting Base:**

90.0 degrees single end

**Shaft End Characteristic:**

A1 single style single end

**Phase:**

Three input

**Special Features:**

Style3b as described has small shoulder at flanged end next to output shaft and no extended ear

**Frequency In Hertz:**

400.0 input

**Terminal Type And Quantity:**

3 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A271a0