NSN 3010-00-851-7042

Gearcase-motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3010-00-851-7042

Overall Length:
2.578 inches
Overall Width:
0.938 inches
Shaft Diameter:
0.1245 inches single end and 0.1248 inches single end
Current Type:
Ac input
Maximum Operating Altitude Rating:
60000.0 feet
Shaft Rotation Direction:
Clockwise single end or counterclockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
Totally enclosed
Mounting Facility Type And Quantity:
1 clamp collar
Geared Head Output Shaft Alignment Position:
Inline w/armature single end
Cooling Method:
Nonventilated
Torque Rating And Type:
Torque Rating And Type: 0.28 inch-ounces stalled
0.28 inch-ounces stalled
0.28 inch-ounces stalled Speed Control Method And Device Type:
0.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical
0.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical Features Provided:
0.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical Features Provided: Vertical mounting position and horizontal mounting position
0.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical Features Provided: Vertical mounting position and horizontal mounting position Frame Size Designation:
0.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical Features Provided: Vertical mounting position and horizontal mounting position Frame Size Designation: 10
0.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical Features Provided: Vertical mounting position and horizontal mounting position Frame Size Designation: 10 Length Of Shaft From Housing:
0.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical Features Provided: Vertical mounting position and horizontal mounting position Frame Size Designation: 10 Length Of Shaft From Housing: 0.438 inches single end
0.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical Features Provided: Vertical mounting position and horizontal mounting position Frame Size Designation: 10 Length Of Shaft From Housing: 0.438 inches single end Tempurature Rating: -55.0 operating degrees celsius and 125.0 operating degrees celsius
0.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical Features Provided: Vertical mounting position and horizontal mounting position Frame Size Designation: 10 Length Of Shaft From Housing: 0.438 inches single end Tempurature Rating: -55.0 operating degrees celsius and 125.0 operating degrees celsius Connection Type And Voltage Rating In Volts:
0.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical Features Provided: Vertical mounting position and horizontal mounting position Frame Size Designation: 10 Length Of Shaft From Housing: 0.438 inches single end Tempurature Rating: -55.0 operating degrees celsius and 125.0 operating degrees celsius
0.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical Features Provided: Vertical mounting position and horizontal mounting position Frame Size Designation: 10 Length Of Shaft From Housing: 0.438 inches single end Tempurature Rating: -55.0 operating degrees celsius and 125.0 operating degrees celsius Connection Type And Voltage Rating In Volts: 115.0 line to neutral single input
0.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical Features Provided: Vertical mounting position and horizontal mounting position Frame Size Designation: 10 Length Of Shaft From Housing: 0.438 inches single end Tempurature Rating: -55.0 operating degrees celsius and 125.0 operating degrees celsius Connection Type And Voltage Rating In Volts: 115.0 line to neutral single input Geared Head Output Shaft Speed Rating:
O.28 inch-ounces stalled Speed Control Method And Device Type: Automatic mechanical Features Provided: Vertical mounting position and horizontal mounting position Frame Size Designation: 10 Length Of Shaft From Housing: 0.438 inches single end Tempurature Rating: -55.0 operating degrees celsius and 125.0 operating degrees celsius Connection Type And Voltage Rating In Volts: 115.0 line to neutral single input Geared Head Output Shaft Speed Rating: 16.950 single revolutions per minute single end

ı ııasc

Single input

NSN 3010-00-851-7042

Gearcase-motor - Page 2 of 2



Frequency In Hertz:
400.0 input
Terminal Type And Quantity:
6 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A271a0