

View Online at <https://aerobasegroup.com/nsn/3010-00-919-6539>

Overall Height:

5.453 inches

Overall Length:

9.062 inches

Overall Width:

6.592 inches

Keyway Width:

0.188 inches identical ends

Keyway Depth:

0.094 inches identical ends

Shaft Diameter:

0.624 inches identical ends and 0.625 inches identical ends

Flatted Portion Length:

1.388 inches identical ends

Current Type:

Ac input

Keyway Length:

1.125 inches identical ends

Flat Depth:

0.032 inches identical ends

Shaft Rotation Direction:

Clockwise identical ends or counterclockwise identical ends

Duty Cycle:

Continuous

Inclosure Feature:

Open

Mounting Method:

Face

Mounting Facility Type And Quantity:

4 unthreaded hole

Geared Head Output Shaft Alignment Position:

Angled to armature/rotor axis first end

Cooling Method:

Fan cooled

Current Rating Method:

Load

Torque Rating And Type:

44.0 inch-pounds running

Speed Control Method And Device Type:

Automatic mechanical

Inclosure Specification:

Commercial

Features Provided:

Horizontal mounting position

Power Rating:

0.0666 horsepower output

Length Of Shaft From Housing:

1.500 inches identical ends

Shaft Center To Mounting Surface Distance:

1.562 inches identical ends

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.124 inches

Tempurature Rating:

40.0 ambient degrees celsius

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.376 inches

Current Rating In Amps:

0.450 single output

Connection Type And Voltage Rating In Volts:

220.0 line to neutral single input

Geared Head Output Shaft Speed Rating:

43.000 single revolutions per minute identical ends

Angle Of Shaft To Mounting Base:

90.0 degrees identical ends

Shaft End Characteristic:

A5 first style identical ends and a9 second style identical ends

Phase:

Three input

Special Features:

Winding type is polyphase

Frequency In Hertz:

60.0 input

Terminal Type And Quantity:

4 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A271a0