

View Online at <https://aerobasegroup.com/nsn/3010-01-158-7619>

Overall Height:

2.375 inches

Overall Length:

3.500 inches

Overall Width:

2.375 inches

Shaft Diameter:

0.250 inches first end

Current Type:

Ac input

Shaft Rotation Direction:

Clockwise single end

Duty Cycle:

Continuous

Inclosure Feature:

Totally enclosed

Specific Use:

Used for luer disc drive

Winding Type:

Synchronous

Mounting Method:

Resilient cradle

Mounting Facility Type And Quantity:

2 threaded stud

Storage Type:

General purpose warehouse

Gear Head Output Shaft Alignment Position:

Offset above parallel to shaft axis single end

Cooling Method:

Ambient air

Inclosure Specificationification:

Commercial

Bearing Type:

Sleeve

Features Provided:

Vertical mounting position

Cubic Measure:

0.008 cubic feet

Length Of Shaft From Housing:

0.625 inches single end

Shaft Center To Mounting Surface Distance:

1.687 inches single end

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.000 inches

Connection Type And Voltage Rating In Volts:

115.0 konica, qh four-spline input

Geared Head Output Shaft Speed Rating:

12015.000 single revolutions per minute single end

Shaft End Characteristic:

A1 single style single end

Product Name:

Gearcase motor 3.5x2.375x2.375" resilient cradle 50/60hz 1 plug

Phase:

Single input

Frequency In Hertz:

50.0 input or 60.0 input

Functional Description:

Positions luer disc to cycle blood sample

Terminal Type And Quantity:

1 plug

Purchase Description Identification:

5140-40-038-9770

Fsc Application Data:

Blood gas apparatus model 168

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A271a0