

View Online at <https://aerobasegroup.com/nsn/3010-01-168-0569>

**Overall Height:**

2.875 inches

**Overall Length:**

3.125 inches

**Overall Width:**

3.000 inches

**Shaft Diameter:**

0.3120 inches single end

**Flatted Portion Length:**

0.6250 inches single end

**Current Type:**

Ac input

**Flat Depth:**

0.0310 inches single end

**Shaft Rotation Direction:**

Clockwise single end

**Duty Cycle:**

Continuous

**Inclosure Feature:**

Open

**Specific Use:**

Drives the transport assembly

**Winding Type:**

Synchronous shaded pole

**Mounting Method:**

Pad

**Mounting Facility Type And Quantity:**

4 threaded hole

**Geared Head Output Shaft Alignment Position:**

Angled to armature/rotor axis single end

**Cooling Method:**

Ambient air

**Bearing Type:**

Sleeve

**Features Provided:**

Vertical mounting position

**Cubic Measure:**

0.016 cubic feet

**Length Of Shaft From Housing:**

0.750 inches single end

**Shaft Center To Mounting Surface Distance:**

0.750 inches first end

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.500 inches

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

2.375 inches

**Connection Type And Voltage Rating In Volts:**

115.0 line to neutral single input

**Geared Head Output Shaft Speed Rating:**

1125.000 single revolutions per minute single end

**Angle Of Shaft To Mounting Base:**

9090.0 degrees first end

**Shaft End Characteristic:**

A5 single style single end

**Product Name:**

Gearcase motor 60h 115v processor xray film

**Phase:**

Single input

**Special Features:**

Three leads 12 in. Lg, terminated by 3 female 1/4 in. Lg quick disconnect term

**Frequency In Hertz:**

60.0 input

**Reference Data And Literature:**

Manufactures manuals on the peri-pro x-ray film processor

**Terminal Type And Quantity:**

3 connector, plug

**Fsc Application Data:**

Processor, x-ray film

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A271a0