NSN 3010-01-174-9199

Rigid Shaft Coupling - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3010-01-174-9199 **Hole Diameter:** 0.3130 inches **Spline Minor Diameter:** 1.2000 inches second end **Spline Major Diameter:** 1.3100 inches second end **Overall Length:** 2.220 inches **Spline Quantity:** 20 second end **Overall Diameter:** 4.680 inches **End Application:** F-101 engine, b-1b aircraft **Bore Shape:** Splined second end Spline Pressure Angle In Deg: 14.500 second end Spline Length: 1.010 inches second end Spline Type: Involute second end **Securing Method:** Unthreaded hole **Unthreaded Hole Quantity:** 4 **Features Provided:** Bore counterbore **Body Material:** Stainless steel **Special Features:** Counterbore diameter: 1.770 in.; counterbore depth: 1.210 in.; pitch diameter: 1.250 in.; flange has 4 bolt holes; first end, 4.0 in. Dia. Bc; flange is 0.165 in. W **Surface Treatment:** Nickel

N/a **Unit Of Measure:**

Style Designator:

Plain sleeve Shelf Life:

Demilitarization:

Yes - demil/mli

NSN 3010-01-174-9199Rigid Shaft Coupling - Page 2 of 2



Fiig:

A522c0