## NSN 3010-01-245-7386

Gearcase-motor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3010-01-245-7386

Overall Height:
1.015 inches
Overall Length:
3.355 inches
Overall Width:
1.015 inches
Shaft Diameter:
0.157 inches single end
Current Type:
Do input
Shaft Rotation Direction:
Clockwise single end
Duty Cycle:
Continuous
Inclosure Feature:
Fungus proof
Winding Type:
Permanent magnet
Mounting Method:
Flange
Mounting Facility Type And Quantity:
4 threaded hole
4 threaded hole  Geared Head Output Shaft Alignment Position:
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method:
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing:
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing: 0.540 inches single end
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing: 0.540 inches single end  Tempurature Rating:
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing: 0.540 inches single end  Tempurature Rating: -32.0 operating degrees celsius and 76.0 operating degrees celsius
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing: 0.540 inches single end  Tempurature Rating: -32.0 operating degrees celsius and 76.0 operating degrees celsius  Mounting Facility Circle Diameter:
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing: 0.540 inches single end  Tempurature Rating: -32.0 operating degrees celsius and 76.0 operating degrees celsius  Mounting Facility Circle Diameter: 0.890 inches
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing: 0.540 inches single end  Tempurature Rating: -32.0 operating degrees celsius and 76.0 operating degrees celsius  Mounting Facility Circle Diameter: 0.890 inches  Connection Type And Voltage Rating In Volts:
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing: 0.540 inches single end  Tempurature Rating: -32.0 operating degrees celsius and 76.0 operating degrees celsius  Mounting Facility Circle Diameter: 0.890 inches  Connection Type And Voltage Rating In Volts: 28.0 line to neutral high input
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing: 0.540 inches single end  Tempurature Rating: -32.0 operating degrees celsius and 76.0 operating degrees celsius  Mounting Facility Circle Diameter: 0.890 inches  Connection Type And Voltage Rating In Volts: 28.0 line to neutral high input  Geared Head Output Shaft Speed Rating:
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing: 0.540 inches single end  Tempurature Rating: -32.0 operating degrees celsius and 76.0 operating degrees celsius  Mounting Facility Circle Diameter: 0.890 inches  Connection Type And Voltage Rating In Volts: 28.0 line to neutral high input  Geared Head Output Shaft Speed Rating: 400.000 low revolutions per minute single end
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing: 0.540 inches single end  Tempurature Rating: -32.0 operating degrees celsius and 76.0 operating degrees celsius  Mounting Facility Circle Diameter: 0.890 inches  Connection Type And Voltage Rating In Volts: 28.0 line to neutral high input  Geared Head Output Shaft Speed Rating: 400.000 low revolutions per minute single end  Shaft End Characteristic:
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing: 0.540 inches single end  Tempurature Rating: -32.0 operating degrees celsius and 76.0 operating degrees celsius  Mounting Facility Circle Diameter: 0.890 inches  Connection Type And Voltage Rating In Volts: 28.0 line to neutral high input  Geared Head Output Shaft Speed Rating: 400.000 low revolutions per minute single end  Shaft End Characteristic: A1 single style single end
4 threaded hole  Geared Head Output Shaft Alignment Position: Inline w/armature single end  Cooling Method: Ambient air  Length Of Shaft From Housing: 0.540 inches single end  Tempurature Rating: -32.0 operating degrees celsius and 76.0 operating degrees celsius  Mounting Facility Circle Diameter: 0.890 inches  Connection Type And Voltage Rating In Volts: 28.0 line to neutral high input  Geared Head Output Shaft Speed Rating: 400.000 low revolutions per minute single end  Shaft End Characteristic:

**Supplementary Features:**Minute man missile, end item

## NSN 3010-01-245-7386

Gearcase-motor - Page 2 of 2



i ei ii ii iai Tybe And Quantity.	Tε	rminal	Type	And	Quantity:	
-----------------------------------	----	--------	------	-----	-----------	--

3 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A271a0