# NSN 3010-01-412-3858

Rigid Shaft Coupling - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3010-01-412-3858

#### Hole Diameter:

0.186 inches

## **Overall Length:**

2.060 inches

# Thread Size Designator:

0.190-32

#### Bore Diameter:

0.8750 inches first end

#### **Overall Diameter:**

1.500 inches

#### Bore Length:

1.1900 inches first end

#### Bore Shape:

Straight first end

#### **Securing Method:**

Threaded hole or unthreaded hole

## **Threaded Hole Quantity:**

1

Unthreaded Hole Quantity:

1

## Features Provided:

Keyway

## Body Material:

Stainless steel

## **Special Features:**

Threaded hole over keyway on second end, drilled hole through both walls located first end 90 degrees from threaded hole; distance from center of bore to bottom of keyway: second end, 0.314 in.; 1 keying facility provided second end; keying facility width: second end, 0.126 in.; keying facility length: second end, 0.870 in.

## **Material Specification:**

Astm a581, cres 303 or 303se, cond a assn standard 1st material response or astm a582, cres 303 or 303se, cond a assn standard 2nd material response

## Surface Treatment:

Passivate

# Surface Treatment Specification:

Astm a380, code f assn standard single treatment response

#### **Style Designator:**

Plain sleeve

## Shelf Life:

N/a

# Unit Of Measure:

---

#### Demilitarization:

No

Fiig: