## NSN 3010-01-412-3858

Rigid Shaft Coupling - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3010-01-412-3858 **Hole Diameter:** 0.186 inches **Overall Length:** 2.060 inches **Thread Size Designator:** 0.190-32 **Bore Diameter:** 0.8750 inches first end **Overall Diameter:** 1.500 inches **Bore Length:** 1.1900 inches first end **Bore Shape:** Straight first end **Securing Method:** Threaded hole or unthreaded hole **Threaded Hole Quantity: Unthreaded Hole Quantity: Features Provided:** Keyway **Body Material:** Stainless steel **Special Features:** Threaded hole over keyway on second end, drilled hole through both walls located first end 90 degrees from threaded hole; distance from center of bore to bottom of keyway: second end, 0.314 in.; 1 keying facility provided second end; keying facility width: second end, 0.126 in.; keying facility length: second end, 0.870 in. **Material Specification:** Astm a581, cres 303 or 303se, cond a assn standard 1st material response or astm a582, cres 303 or 303se, cond a assn standard 2nd material response **Surface Treatment: Passivate Surface Treatment Specification:** Astm a380, code f assn standard single treatment response **Style Designator:** Plain sleeve Shelf Life: N/a **Unit Of Measure:** 

Fiig:

No

Demilitarization: