NSN 3010-01-425-6664

Rigid Shaft Coupling - Page 1 of 1

No Fiig: A522c0



View Online at https://aerobasegroup.com/nsn/3010-01-425-6664 **Hole Diameter:** 0.293 inches **Overall Length:** 4.030 inches **Thread Size Designator:** 1/4-20 **Bore Diameter:** 1.6200 inches second end **Overall Diameter:** Between 3.900 inches and 5.000 inches Bore Length: 0.2500 inches second end **End Application:** 2320-01-123-1610 **Bore Shape:** Straight through bore **Securing Method:** Threaded hole or unthreaded hole **Threaded Hole Quantity: Unthreaded Hole Quantity:** 4 **Features Provided:** Bore counterbore **Body Material:** Aluminum **Special Features:** First end flange 0.400 in. Wd, threaded holes in flange on 4.242 in. Center dia., unthreaded holes on second end on 2.750 in. Center dia; counterbore diameter: first end, 3.500 in.; counterbore depth: first end, 3.780 in. **Material Specification:** Qq-a-225/8 federal specification 1st material response or qq-a-200/8, alloy 6061, t6 federal specification 2nd material response **Surface Treatment:** Paint Shelf Life: N/a **Unit Of Measure: Demilitarization:**