NSN 3020-00-001-4455

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-001-4455

Body Style:
Webbed, offset, solid
Attachment Method:
Mounting hole
Pitch Diameter:
3.5000 inches
Teeth Quantity:
35
Bore Style:
W/counterbore both ends
Backlash Designation:
Grade a
Hardness Rating:
58.0 rockwell c and 64.0 rockwell c body
Mounting Hole Type And Quantity:
3 plain axially through body, first end
Outside Diameter:
3.698 inches
Tooth Form:
Standard
Pressure Angle:
22.5000 degrees
Distance Between Body Face And Protruding Hub End:
3.427 inches first end
Body Recess Depth:
0.150 inches second end
Face Width:
0.250 inches
Mounting Hole Diameter:
0.188 inches axially through body, first end
Bolt Hole Circle Diameter:
0.820 inches axially through body, first end
Material:
Steel comp e9310
Material Specification:
Ams 6260 assn standard single material response
Surface Treatment:
Oxide
Surface Treatment Specification:
Mil-c-13924, class 2 military specification single treatment response
Style Designator:
Flush hub

NSN 3020-00-001-4455

Spur Gear - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	

Shelf Life:

Mil-std (military Standard):

Mil-c-13924 spec.