## NSN 3020-00-004-2265

Groove Pulley - Page 1 of 2

**Counterbore Diameter:** 



View Online at https://aerobasegroup.com/nsn/3020-00-004-2265

2.880 inches
Counterbore Depth:
2.410 inches
Groove Depth:
0.640 inches
Groove Width:
0.690 inches
Outside Diameter:
7.500 inches
Overall Length:
3.883 inches
<b>Bolt Circle Diameter:</b>
4.700 inches
Bore Diameter:
Between 2.8346 inches and 2.8356 inches
Bore Length:
3.883 inches
Drilled Hole Diameter:
0.406 inches
V Groove Angle In Deg:
38.0
Pitch Diameter:
7.073 inches
Securing Hole Quantity:
6
Material And Location:
Iron, cast, qq-i-652, class 30
Face Width:
1.776 inches
Design Form:
Webbed
Bore Type:
Straight
Bearings:
Not included
Groove Quantity:
2
Counterbore Feature:
Included
Counterbore Location:
Bb end

## **NSN 3020-00-004-2265** Groove Pulley - Page 2 of 2



Hole Location:
Through hub equally spaced
Keying Facility:
Not included
Securing Method:
Drilled hole
Split Hub Feature:
Not included
Web/spoke Relationship To Face Centerline:
Offset
Lightening Hole:
Not included
Integral Cooling Vane:
Not included
Groove Shape:
V
Bore Feature:
Included
Securing Location:
Bb end
Hub End Outside Diameter And Location:
3.280 inches aa end and 6.220 inches bb end
Distance From Outside Flange/rim To Hub End And Location:
1.386 inches aa end and 0.721 inches bb end
Style Designator:
Webbed or spoked
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-a