## NSN 3020-00-004-6470

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-004-6470

Body Style:
Plain, with lightening holes
Pitch Diameter:
Between 3.1240 inches and 3.1250 inches
Teeth Quantity:
150
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Nominallength:
0.500 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.375 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.375 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.630 inches first end
Precision Classification:
Quality number 10 or quality number 11
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, t4 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625, type 2 military specification single treatment response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 3020-00-004-6470

Spur Gear - Page 2 of 2



_										
וו	0	m	ш	м	•	iza	31	^	n	

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.