NSN 3020-00-005-3493

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-005-3493

5 1 6 1				
Body Style:				
Plain, with lightening holes				
Pitch Diameter:				
Between 2.2073 inches and 2.2083 inches				
Teeth Quantity:				
106				
Bore Style:				
Plain both ends				
Backlash Designation:				
Grade c				
Outside Diameter:				
2.247 inches				
Nominallength:				
0.375 inches				
Tooth Form:				
Standard				
Pressure Angle:				
20.0000 degrees				
Distance Between Body Face And Protruding Hub End:				
0.250 inches first end				
Face Width:				
0.125 inches				
Bore Diameter:				
0.375 inches both ends				
Hub Style Designator:				
Plain first end				
Hub Diameter:				
0.630 inches first end				
Precision Classification:				
Quality number 10 or quality number 11				
Material:				
Aluminum alloy 2024				
Material Specification:				
Qq-a-225/6, t4 federal specification single material response				
Surface Treatment:				
Anodize				
Surface Treatment Specification:				
Mil-a-8625, type 2 military specification single treatment response				
Style Designator:				
Protruding hub				
Shelf Life:				

N/a

NSN 3020-00-005-3493

Spur Gear - Page 2 of 2



П	Init	7 1+	Measure:
u	,,,,,	v	wicasuic.

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.