## NSN 3020-00-009-4036

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-009-4036

Body Style:
Webbed, offset, solid
Attachment Method:
Clamp
Pitch Diameter:
Between 1.1240 inches and 1.1250 inches
Teeth Quantity:
72
Bore Style:
Plain first end
Outside Diameter:
1.154 inches
Nominallength:
0.350 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.170 inches first end
Body Recess Depth:
0.080 inches first end
Face Width:
0.180 inches
Bore Diameter:
0.187 inches both ends
Hub Style Designator:
Split first end
Hub Diameter:
0.249 inches first end
Clamping Surface Length:
0.150 inches first end
Precision Classification:
Quality number 10 or quality number 11
Special Features:
One hole 0.125 in. Diameter on 0.400 in. Bolt circle through gear body
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, t4 federal specification single material response
Surface Treatment:
Anodize

## NSN 3020-00-009-4036

Spur Gear - Page 2 of 2



Surface Treatment S	Specification:
---------------------	----------------

Mil-a-8625, type 1 military specification single treatment response

**Style Designator:** 

Protruding hub, recessed body

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.